SOUNDING BOARD

Electronic Health Records and National Patient-Safety Goals

Dean F. Sittig, Ph.D., and Hardeep Singh, M.D., M.P.H.

Electronic health records (EHRs) are essential to improving patient safety.1 Hospitals and health care providers are implementing EHRs rapidly in response to the American Recovery and Reinvestment Act of 2009.2-4 The number of certified EHR vendors in the United States has increased from 605,6 to more than 10007 since mid-2008. Recent evidence has highlighted substantial and often unexpected risks resulting from the use of EHRs and other forms of health information technology.8-12 These concerns are compounded by the extraordinary pace of EHR development and implementation. Thus, the unique safety risks posed by the use of EHRs should be considered alongside the potential benefits of these systems.

At a time when institutions are focused heavily on achieving "meaningful use" requirements, we propose that clearer guidance be provided so that these institutions can align activities related to patient safety with the activities required to support a safe EHR-enabled health care system.¹³ A set of EHR-specific safety goals, modeled after the Joint Commission's National Patient Safety Goals, may provide organizations with areas of focus for sustained improvements in organizational infrastructure, processes, and culture as they adapt to new technology.

EHR implementation is still highly heterogeneous across health care systems and providers, and this heterogeneity leads to equally variable implications for patient safety. For instance, the priorities for patient safety in an organization in the midst of an EHR rollout differ from those of an organization that has used a fully integrated EHR system for 5 or more years. To account for the variation in the stages of implementation and levels of complexity across clinical practice settings, we propose a three-phase framework for the development of EHR-specific patient-safety goals (e-PSGs). The first phase of the framework, aimed at all EHR users but especially at

recent and future adopters, includes goals to mitigate risks that are unique and specific to technology¹⁴ (e.g., technology that is unsafe owing to unavailable or malfunctioning hardware or software). The second phase addresses issues created by the failure to use technology appropriately or by misuse of technology.¹⁵ The final phase focuses on the use of technology to monitor health care processes and outcomes and identify potential safety issues before they can harm patients.¹⁶ This framework can lay the foundation for the development of e-PSGs within the context of EHR-enabled health care.

GOALS

PHASE 1: ADDRESS SAFETY CONCERNS UNIQUE TO EHR TECHNOLOGY

Device failures and both natural and man-made disasters are inevitable. The potential consequences of an EHR failure become of increasing concern as large-scale EHR systems are deployed across multiple facilities within a health care system, often across a wide geographic area. These broadly distributed systems may be tightly coupled and lightning fast, but that also means that a malfunction can rapidly affect not only a single department or institution but possibly an entire community.17 Furthermore, because the operations of such systems are often decentralized and relatively opaque to end users,18 problems evade easy detection and solution. In a recent example, on April 21, 2010, one third of the hospitals in Rhode Island were forced to postpone elective surgeries and divert non-lifethreatening emergencies¹⁹ when an erroneous automatic antivirus software update set off a chain of events that caused "uncontrolled [computer] restarts and loss of networking functionality."20 A potential e-PSG, therefore, should be to reduce the effect of EHR downtime on clinical operations and patient safety. Table 1 lists some of the activities that organizations could undertake to achieve this goal.

Safety can also be compromised as a result of miscommunication between the components of an EHR system. For example, it is not uncommon for data-translation tables (used to encode and decode orders transmitted between disparate systems) to have mismatched data fields.34 These mismatched fields may affect orders by introducing inadvertent changes that are virtually undetectable by the computer or by the people not privy to the original sender's intentions. An example of such an error is an order for 30 mg of oxycodone, sustained release, that is correctly entered in the computer-based provider order entry (CPOE) system but erroneously mapped to 30 mg of oxycodone, immediate release, in the pharmacy management system and incorrectly dispensed. Errors related to the transfer of information between systems may be detected by testing interacting components within the "live" EHR environment. However, this process is resource-intensive and therefore may not be carried out with adequate effort or attention. Therefore, an e-PSG could focus on reducing the miscommunication of data transmitted between different safety-critical components of the EHR. Recent evidence has shown that EHR accessibility and information transfer are two of the most common problems reported in EHR-related safety events.9,11,12

PHASE 2: MITIGATE SAFETY CONCERNS ARISING FROM FAILURE TO USE EHRS APPROPRIATELY

One rationale for widespread use of EHRs is that certain patient harms can be prevented when EHRs are used appropriately. For instance, EHRs can facilitate and standardize the transfer of information between providers and help close the communication loop by promptly notifying providers when test results are abnormal. However, these benefits are predicated on the assumption that EHRs will be used correctly and as intended in routine practice.35 For example, if CPOE systems were to be used on some nursing units but not others, clinicians would need to check for orders and test results in multiple locations, increasing the likelihood that some information would be overlooked. Other partial uses of CPOE may leave noncomputerized processes more vulnerable to error. For example, if CPOE is used to order medications but not laboratory tests, there would be no way of ensuring closed-loop electronic communication of test results to the ordering providers, potentially leading to more missed results.³⁶ Another hazard can arise if providers bypass structured data fields in CPOE and instead use EHR-based free-text communication to prescribe or discontinue medications, since free-text orders are not standardized and are vulnerable to miscommunication.³⁷ To reduce these safety concerns, another e-PSG could be to mandate the use of CPOE for all medication orders, laboratory tests, and radiologic tests. Table 1 lists several strategies that may help to achieve this goal.

Second, the implementation and use of complex clinical-decision support (CDS) systems embedded in EHRs are prone to human error and cognitive constraints.38,39 Consequently, decisions related to various aspects of CDS interventions must be evaluated periodically.40 For example, although point-of-care CDS interventions are necessary to achieve the full benefits of EHRs and stages 1 and 2 of the meaningful use payments, outlined by the Centers for Medicare and Medicaid Services (CMS),41 alerts that interrupt the clinician's workflow or thought process must be used judiciously. Many organizations turn on alerts with low specificity, which results in high rates of clinician override.24 Frequent overrides are associated with "alert fatigue," which can lead clinicians to inadvertently ignore important information. Thus, another potential e-PSG could be to reduce alert fatigue. Alerts with override rates above a certain threshold should be discontinued or modified to increase their specificity.⁴² Similarly, hard stops (i.e., when users cannot proceed with the desired action) must be used only for the most egregious errors.43 Having such a goal will stimulate a multidisciplinary approach to reducing alerts that involves engaging cognitive scientists, human-factors engineers, and informaticians (i.e., scientists trained to work on the sociotechnical issues of information and communications technologies44,45) to work on these complex issues with clinicians (Table 1).

Third, although there is increased safety associated with integrating free text, dictated reports, radiographic images, and other test results into EHRs (including improved legibility and rapid access),⁴⁶ many institutions are not currently coding some of the critical data need-

Table 1. Framework for Potential EHR-Related Natio	Related National Patient Safety Goals.*	
Potential Goal	Rationale	Suggestions to Achieve the Goal
Phase 1: Address safety concerns unique to EHR technology		
Reduce the effect of EHR downtime on patient safety	A robust computing infrastructure should include a plan that accounts for times when the computer is unexpectedly unavailable	Maintain backup paper forms for orders and clinical documentation in clinical areas Use clearly marked, easily activated, password-protected, read-only backup systems that contain the most recent clinical results and orders Ensure complete, encrypted, daily, off-site storage of all patient data Use redundant hardware (e.g., database servers) for mission-critical applications Maintain uninterrupted power supplies capable of maintaining computer operations until generators come online Develop downtime (and reactivation) policies and procedures to put plans into operation and to train personnel in the use of these plans Report EHR uptime rates to the organization's board of directors (or its equivalent) on a regular basis
Reduce miscommunication of data transmitted between different components of EHRs	Miscommunication can be problematic when sending remotely generated, "asynchronous" orders through multiple components of an EHR system	Mandate regression testing (i.e., testing to ensure that intended changes are correct and did not corrupt any other parts of the system) of all mission-critical applications after every modification Reduce the number of interfaces between mission-critical systems (e.g., between CPOE and pharmacy-management systems) developed by different software vendors
Phase 2: Mitigate safety concerns arising from failure to use EHRs appropriately	A.	
Mandate CPOE for all orders of medications, laboratory tests, and radiologic tests	CPOE with advanced CDS has been shown to reduce errors of omission and commission	Create order sets for the most common condition-, task-, and service-specific clinical scenarios ^{21,22} Make clinician log-in privileges conditional on training and testing in order entry Develop measurements for the safe and effective use of CPOE ²³ Report CPOE rates to the organization's board of directors (or its equivalent) on a regular basis
Reduce alert fatigue	Alerts with low specificity result in a high rate of clinician overrides ²⁴ and lead to "alert fatigue"; clinicians thus may inadvertently ignore important information	Implement drug–drug interaction, checking only for life-threatening combinations ²⁵ Focus CDS interventions on key organizational safety goals ²⁶ Ensure that timing, content, and delivery of CDS interventions are appropriate to recipients and workflows ²⁶ Monitor the number and override rate of all alerts ²⁷ Report alert override rates to the organization's board of directors (or its equivalent) on a regular basis

Enter all medications, allergies, diagnostic test results, and clinical problems as structured or coded data	Structured data are needed to realize the full potential of computer-generated CDS (e.g., checks for drug allergies, automated notification of abnormal test results, ²⁸ and reminders about drug-condition interactions ²⁹)	Use standard clinical vocabularies Implement two-way, system–system interfaces with all ancillary information systems both within and outside the organization to facilitate the capture and use of coded data ³⁰ Develop order entry ³¹ templates
Phase 3: Use EHRs to monitor and improve patient safety		
Use EHR-based "triggers" to monitor, identify, and report potential safety issues and events ¹⁶	Current incident-reporting systems capture a small proportion of events or only specific types of events ²² ; safety trends cannot be measured reliably at present	Identify high-risk target conditions within specific clinical contexts (e.g., administration of a medication used as an antidote, as in the administration of naloxone in an acute care unit ³³) Develop search criteria to identify these conditions (e.g., patients in need of particular tests, follow-up actions, or patients undergoing specific safety events) Query the EHR regularly to detect events on the basis of search criteria Assign staff to take action on identified events
* CDS denotes clinical-decision support,	* CDS denotes clinical-decision support, CPOE computer-based provider order entry, and EHR electronic health record.	R electronic health record.

ed to maximize safety. The lack of structured or coded data prevents the system from being able to provide the user with meaningful feedback or interpretation (i.e., an alert regarding the use of lisinopril will not be generated if a patient's history of captopril-related angioedema has not been entered as coded allergen data). Therefore, to realize the full safety benefits of complex CDS tools⁴⁷ (e.g., checks for drug allergies,⁴⁸ automatic notification of abnormal test results,28 or reminders related to drug-condition interactions29 [e.g., a warning on the use of isotretinoin in patients who are pregnant]), another e-PSG could focus on ensuring that critical data on medications, allergies, diagnostic test results, and clinical problems are entered as structured or coded data in the EHR.49

PHASE 3: USE EHRS TO MONITOR AND IMPROVE PATIENT SAFETY

To achieve the goals of many national initiatives to improve patient safety and to facilitate the prevention of safety events, electronic data must be used to help detect, manage, and learn from potential safety events in near real-time. The stakeholders include the Agency for Healthcare Research and Quality (AHRQ), the Joint Commission, and the recently formed Partnership for Patients.50 In the current methods used to measure safety events, there is an overreliance on incident reports, which detect only a small proportion of events.³² In contrast, systems can be programmed to automatically detect easily overlooked and underreported errors of omission, such as patients who are overdue for medication monitoring, patients who lack appropriate surveillance after treatment, and patients who are not provided with follow-up care after receiving abnormal laboratory or radiologic tests results.51 EHR-based trigger approaches can also be used to detect errors of commission related to preventable adverse drug events,52 postoperative complications,53 and misidentification of patients.54 Organizations must leverage EHRs to facilitate rapid detection of common errors (including EHR-related errors), to monitor the occurrence of high-priority safety events, and to more reliably track trends over time. EHRs could also play a role in improving the existing infrastructure of reporting to patient-safety organizations by facilitating the generation of data files describing particular safety events (e.g., using the AHRQ common format version 1.2).⁵⁵ Thus, an e-PSG could relate to the use of the EHR to monitor, identify, and report potential safety issues and events. This would make detection and reporting more efficient and help shift resources toward investigation and action.

APPLICATION OF THE THREE-PHASE e-PSG FRAMEWORK

Given that only 48% of all eligible hospitals and only 20% of eligible physicians have currently attested to achieving stage 1 of the CMS meaningful use criteria,56 the development and application of e-PSGs could partially address the Institute of Medicine's recent recommendation to create an EHR safety action and surveillance plan.8 The recommendations of such a plan should be tailored to the stage of EHR implementation. Recent adopters of EHRs could focus on the goals presented in phase 1 of our safety framework, making sure that the technology is safe to use, whereas organizations that have already achieved stage 1 meaningful-use criteria and have been using EHRs for several years could aim for goals from all three phases. Measurements related to e-PSGs would allow nationwide tracking and benchmarking of EHR-related safety performance.⁵⁷ Policymakers and EHR vendors could collaborate on the development and certification of automated methods to measure and report new indicators annually from meaningful use certified EHRs in eligible hospitals. Examples of potential measures for e-PSGs might include EHR uptime rate (e.g., minutes the EHR was available to clinicians divided by number of minutes in a year²³), CPOE rate (e.g., number of orders electronically entered divided by the total number of orders during the year²³), and alert override rate (e.g., number of point-ofcare alerts ignored divided by the total number of point-of-care alerts generated²³).

These goals will also need to be reviewed regularly and updated as needed in accordance with national priorities and research on EHR-related patient safety. In addition, many strategies not addressed in this article could be considered as recommendations or good clinical practices and progress in a stepwise fashion to future e-PSGs.

SUMMARY

To create a coordinated, consistent, national strategy that will address the safety issues posed by EHRs, we propose that a concerted effort be made to improve health care safety in the context of technology use. This effort should address preventable risks that may hamper endeavors to create a safer EHR-enabled health care system. Further discussion and consensus among national agencies (e.g., the Office of the National Coordinator for Health Information Technology [ONC], the AHRQ, the Joint Commission, the Centers for Medicare and Medicaid Services) is clearly necessary for the adoption of future national patient-safety goals specific to EHR use. However, this approach must be given immediate priority considering the rapid pace of EHR adoption and the resulting changes in our nation's health care system. National EHR-related patient-safety goals are needed to address current problems with existing EHR implementations and failures to leverage current EHR capabilities. For instance, the ONC has recently taken several important steps in this direction with release of the revised 2014 EHR certification criteria (e.g., emphasis on user-centered design and application of quality management systems in the EHR design and development process⁵⁸). Such efforts should be expanded in the future. Goals must be technically feasible, financially prudent, and practically achievable within current constraints and be accompanied by specific guidance on achieving them. Input on these goals must be sought not only from EHR developers and clinical end users but also from cognitive scientists, human-factors engineers, graphic designers, and informaticians with expertise in patient safety in complex health care environments. Creating unique EHR-related national patient-safety goals will provide new momentum for patient-safety initiatives in an EHRenabled health system.

The views expressed in this article are those of the authors and do not necessarily represent the views of the Department of Veterans Affairs or any of the funding agencies listed below.

Supported by a Strategic Health IT Advanced Research Projects (SHARP) Program contract from the ONC (10510592) (to Dr. Sittig); a career-development award from the National Institutes of Health (K23CA125585) (to Dr. Singh); the Veterans Affairs (VA) National Center for Patient Safety; the Agency for Health Care Research and Quality (R18HS017820); and the

Houston VA Health Services Research and Development Center of Excellence (HFP90-020). These sources had no role in the preparation, review, or approval of this article.

Disclosure forms provided by the authors are available with the full text of this article at NEJM.org.

We thank Michael Shabot, M.D., Eric Thomas, M.D., M.P.H., and Robert Murphy, M.D., for their comments on an earlier version of this article; and Annie Bradford, Ph.D., for assistance with the editing of an earlier version of the manuscript.

From the University of Texas—Memorial Hermann Center for Healthcare Quality and Safety, School of Biomedical Informatics, University of Texas Health Sciences Center (D.F.S.), the Houston VA Health Services Research and Development Center of Excellence, and the Houston VA Patient Safety Center of Inquiry, Michael E. DeBakey VA Medical Center (H.S.), and the Section of Health Services Research, Department of Medicine, Baylor College of Medicine (H.S.) — all in Houston.

- 1. Blumenthal D, Glaser JP. Information technology comes to medicine. N Engl J Med 2007;356:2527-34.
- 2. CMS Medicare and Medicaid EHR incentive programs, and the Office of the National Coordinator for Health IT, Certified Health IT Products List. data.gov, 2012 (https://explore.data.gov/d/eybk-7w2b).
- **3.** Tagalicod R, Anthony R, Kahn J. Medicare & Medicaid EHR Incentive Programs. 2012 (http://healthit.hhs.gov/portal/server.pt/document/956320/ehr_incentiveprogramanalysis_1_10_12_pdf).
- **4.** Blumenthal D. Stimulating the adoption of health information technology. N Engl J Med 2009;360:1477-9.
- **5.** CCHIT certified ambulatory EHR 2007. Certification Commission for Healthcare Information Technology, 2007 (http://web.archive.org/web/20090123165327/http://cchit.org/choose/ambulatory/2007/index.asp).
- **6.** CCHIT certified inpatient EHR 2007. Certification Commission for Healthcare Information Technology, 2007 (http://web.archive.org/web/20090221100419/http://cchit.org/choose/inpatient/2007/index.asp).
- 7. Certified health IT product list. Office of the National Coordinator for Health Information Technology (http://oncchpl.force.com/ehrcert)
- **8.** Institute of Medicine. Health IT and patient safety: building safer systems for better care. Washington, DC: National Academies Press, 2012.
- **9.** Myers RB, Jones SL, Sittig DF. Review of reported clinical information system adverse events in US Food and Drug Administration databases. Appl Clin Inform 2011;2:63-74.
- 10. Harrington L, Kennerly D, Johnson C. Safety issues related to the electronic medical record (EMR): synthesis of the literature from the last decade, 2000–2009. J Healthc Manag 2011;56:31-44.
- **11.** Magrabi F, Ong MS, Runciman W, Coiera E. Using FDA reports to inform a classification for health information technology safety problems. J Am Med Inform Assoc 2012;19:45-53.
- **12.** Warm D, Edwards P. Classifying health information technology patient safety related incidents an approach used in Wales. Appl Clin Inform 2012;3:248-57.
- **13.** Radecki RP, Sittig DF. Application of electronic health records to the Joint Commission's 2011 National Patient Safety Goals. JAMA 2011;306:92-3.
- **14.** Kilbridge P. Computer crash lessons from a system failure. N Engl J Med 2003;348:881-2.
- **15.** Sittig DF, Singh H. Defining health information technology-related errors: new developments since To Err Is Human. Arch Intern Med 2011;171:1281-4.
- **16.** Jha AK, Classen DC. Getting moving on patient safety harnessing electronic data for safer care. N Engl J Med 2011; 365:1756-8.

- 17. Perrow C. Normal accidents: living with high-risk technologies. Princeton, NJ: Princeton University Press, 1999.
- **18.** The Menlo report: ethical principles guiding information and communication technology research. September 15, 2011 (http://www.cyber.st.dhs.gov/wp-content/uploads/2011/12/MenloPrinciplesCORE-20110915-r560.pdf).
- **19.** National Public radio. Anti-virus program update wreaks havoc with PCs. April 21, 2010 (http://www.npr.org/templates/story/story.php?storyId=126168997&sc=17&f=1001).
- **20.** Patel N. Botched McAfee update shutting down corporate XP machines worldwide. Engadget.com, April 21, 2010 (http://www.engadget.com/2010/04/21/mcafee-update-shutting-downxp-machines/).
- **21.** Sittig DF, Ash JS, Jiang Z, Osheroff JA, Shabot MM. Lessons from "Unexpected increased mortality after implementation of a commercially sold computerized physician order entry system." Pediatrics 2006;118:797-801.
- **22.** Wright A, Feblowitz JC, Pang JE, et al. Use of order sets in inpatient computerized provider order entry systems: a comparative analysis of usage patterns at seven sites. Int J Med Inform Assoc 2012;81:733-45.
- **23.** Sittig DF, Campbell E, Guappone K, Dykstra R, Ash JS. Recommendations for monitoring and evaluation of in-patient Computer-based Provider Order Entry systems: results of a Delphi survey. AMIA Annu Symp Proc 2007:671-5.
- **24.** Lin CP, Payne TH, Nichol WP, Hoey PJ, Anderson CL, Gennari JH. Evaluating clinical decision support systems: monitoring CPOE order check override rates in the Department of Veterans Affairs' computerized patient record system. J Am Med Inform Assoc 2008;15:620-6.
- **25.** Phansalkar S, Desai AA, Bell D, et al. High-priority drugdrug interactions for use in electronic health records. J Am Med Inform Assoc 2012 April 26 (Epub ahead of print).
- **26.** Sittig DF, Teich JM, Osheroff JA, Singh H. Improving clinical quality indicators through electronic health records: it takes more than just a reminder. Pediatrics 2009;124:375-7.
- 27. Osheroff JA, Teich JM, Levick D, et al. Improving outcomes with clinical decision support: an implementer's guide. 2nd ed. Chicago: Healthcare Information and Management Systems Society, 2012.
- **28.** Kuperman GJ, Teich JM, Tanasijevic MJ, et al. Improving response to critical laboratory results with automation: results of a randomized controlled trial. J Am Med Inform Assoc 1999;6:512-22.
- **29.** Gandhi TK, Zuccotti G, Lee TH. Incomplete care on the trail of flaws in the system. N Engl J Med 2011;365:486-8.
- **30.** American Society of Health System Pharmacists. ASHP guidelines on pharmacy planning for implementation of computerized provider-order entry systems in hospitals and health systems. Am J Health Syst Pharmacol 2011;68(6):e9-e31.
- **31.** Haynes K, Linkin DR, Fishman NO, et al. Effectiveness of an information technology intervention to improve prophylactic antibacterial use in the postoperative period. J Am Med Inform Assoc 2011;18:164-8.
- **32.** Shojania KG. The elephant of patient safety: what you see depends on how you look. Jt Comm J Qual Patient Saf 2010; 36:399-401.
- **33.** Classen DC, Lloyd RC, Provost L, Griffin FA, Resar R. Development and evaluation of the Institute for Healthcare Improvement Global Trigger Tool. J Patient Saf 2008;4:169-77.
- **34.** Hamblin JF, Bwitit PT, Moriarty HT. Pathology results in the electronic health record. Electronic Journal of Health Informatics 2010;5(2):2010;5(2)e15 (http://www.ejhi.net/ojs/index.php/ejhi/article/view/131).
- **35.** Sittig DF, Singh H. A new sociotechnical model for studying health information technology in complex adaptive healthcare systems. Qual Saf Health Care 2010;19:Suppl 3:i68-i74.
- 36. Singh H, Wilson L, Petersen LA, et al. Improving follow-up

- of abnormal cancer screens using electronic health records: trust but verify test result communication. BMC Med Inform Decis Mak 2009;9:49.
- **37.** Singh H, Mani S, Espadas D, Petersen N, Franklin V, Petersen LA. Prescription errors and outcomes related to inconsistent information transmitted through computerized order entry: a prospective study. Arch Intern Med 2009;169:982-9.
- **38.** Koppel R, Metlay JP, Cohen A, et al. Role of computerized physician order entry systems in facilitating medication errors. JAMA 2005;293:1197-203.
- **39.** Wetterneck TB, Walker JM, Blosky MA, et al. Factors contributing to an increase in duplicate medication order errors after CPOE implementation. J Am Med Inform Assoc 2011;18:774-82.
- **40.** McCoy AB, Waitman LR, Lewis JB, et al. A framework for evaluating the appropriateness of clinical decision support alerts and responses. J Am Med Inform Assoc 2012;19:346-52.
- **41.** Blumenthal D, Tavenner M. The "meaningful use" regulation for electronic health records. N Engl J Med 2010;363:501-4.
- **42.** Paterno MD, Maviglia SM, Gorman PN, et al. Tiering drugdrug interaction alerts by severity increases compliance rates. J Am Med Inform Assoc 2009;16:40-6.
- **43.** Sittig DF, Singh H. Rights and responsibilities of users of electronic health records. CMAJ 2012;184:1479-83.
- **44.** Gardner RM, Overhage JM, Steen EB, et al. Core content for the subspecialty of clinical informatics. J Am Med Inform Assoc 2009:16:153-7.
- **45.** Kulikowski CA, Shortliffe EH, Currie LM, et al. AMIA Board white paper: definition of biomedical informatics and specification of core competencies for graduate education in the discipline. J Am Med Inform Assoc 2012 June 21 (Epub ahead of print). **46.** Powsner SM, Wyatt JC, Wright P. Opportunities for and chal-
- **46.** Powsner SM, Wyatt JC, Wright P. Opportunities for and ch lenges of computerisation. Lancet 1998;352:1617-22.
- **47.** Wright A, Sittig DF, Ash JS, et al. Development and evaluation of a comprehensive clinical decision support taxonomy: comparison of front-end tools in commercial and internally developed electronic health record systems. J Am Med Inform Assoc 2011;18:232-42.
- **48.** Kuperman GJ, Gandhi TK, Bates DW. Effective drug-allergy checking: methodological and operational issues. J Biomed Inform 2003:36:70-9.
- 49. Wright A, Goldberg H, Hongsermeier T, Middleton B. A de-

- scription and functional taxonomy of rule-based decision support content at a large integrated delivery network. J Am Med Inform Assoc 2007;14:489-96.
- **50.** HealthCare.gov. Partnership for patients: better care, lower costs (http://www.healthcare.gov/compare/partnership-for-patients)
- **51.** Singh H, Thomas EJ, Mani S, et al. Timely follow-up of abnormal diagnostic imaging test results in an outpatient setting: are electronic medical records achieving their potential? Arch Intern Med 2009;169:1578-86.
- **52.** Nwulu U, Nirantharakumar K, Odesanya R, McDowell SE, Coleman JJ. Improvement in the detection of adverse drug events by the use of electronic health and prescription records: an evaluation of two trigger tools. Eur J Clin Pharmacol 2012 June 17 (Epub ahead of print).
- **53.** Griffin FA, Classen DC. Detection of adverse events in surgical patients using the Trigger Tool approach. Qual Saf Health Care 2008;17:253-8.
- **54.** Adelman JS, Kalkut GE, Schechter CB, et al. Understanding and preventing wrong-patient electronic orders: a randomized controlled trial. J Am Med Inform Assoc 2012 June 29 (Epub ahead of print).
- **55.** The Patient Safety Organization Privacy Protection Center (PSOPPC) home page (https://www.psoppc.org/web/patientsafety).
- **56.** More than 100,000 health care providers paid for using electronic health records: CMS and ONC surpass 2012 goals for EHR adoption and use. Press release of the Centers for Medicare & Medicaid Services, June 19, 2012 (http://tinyurl.com/CMS-EHR-Users).
- **57.** Singh H, Classen DC, Sittig DF. Creating an oversight infrastructure for electronic health record-related patient safety hazards. J Patient Saf 2011;7:169-74.
- **58.** Department of Health and Human Services, Office of the Secretary. 45 CFR Part 170, RIN 0991–AB82 Health information technology: standards, implementation specifications, and certification criteria for electronic health record technology, 2014 edition; revisions to the Permanent Certification Program for Health Information Technology. Fed Regist 2012;77(171):54163-260.

DOI: 10.1056/NEJMsb1205420

Copyright © 2012 Massachusetts Medical Society.

ICMJE SEEKING TWO NEW MEMBER JOURNALS

The International Committee of Medical Journal Editors (ICMJE) is seeking two new member journals to be represented by their editors-in-chief. Information about the ICMJE is available at www.icmje.org. Candidate journals should meet the following criteria:

- be a peer-reviewed general medical journal that publishes original research involving humans
- · have a governance structure that ensures editorial independence
- have an editor with experience in the position who expects to continue in the position for at least another 3 years
- be financially able to support the editor's participation in ICMJE activities

In considering candidates, the ICMJE may seek to improve the balance of geographic areas and publishing models among its membership.

To apply, editors-in-chief of interested journals should submit the following materials to the ICMJE (at icmje@acponline.org):

- · brief curriculum vitae
- cover letter describing the journal, including but not necessarily limited to details of the journal's history, sponsor or
 publisher, governance structure, publishing model (e.g., subscription, author-pays open access), target audience, print
 circulation and online traffic, number of manuscript submissions per year, processes used to select material for publication,
 acceptance rate, databases where indexed, website address, and guidelines for authors
- statement on how the journal might benefit from ICMJE membership and how the ICMJE might benefit from the journal's membership (should not exceed 1000 words)

The deadline for applications is January 31, 2013.